
**PARKING
VITRIFIED
TILES**

500x

500MM

50x 50cm

| PARKING VITRIFIED TILES


.....

All about an adventurous tile which has immense toughness with great look that complements every area.





Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications





5002

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5004

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5005

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5006


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5008

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5009

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5010

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5011


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5012


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications










5014

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5016

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5018

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications






WHAT
WOULD
BLAIR
WALDORF
DO?





5019

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5023

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5025


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








5026


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications







5027


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications







5028


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








5029


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








5032

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5033

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5034

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5035

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5036

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications









5037


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5038

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5039

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5040

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5046


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5047


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5048


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5049


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5050


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5051


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5052


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5053

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5057

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications







5058

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications







5059


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








5060


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








5061


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5101

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5102


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5103

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5104 DK

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications







5104 LT


Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications








5105

Size	Finish	Thickness	Random
500x500 mm	Matt	9 mm	1



Applications







5106


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5107

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications







5108

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5109

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5110

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>2</u>



Applications







5111


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>2</u>



Applications











5112

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications



Residential



Commercial




Industrial




Public Areas





5113


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5114


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications










5115

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5116


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5117

Size	Finish	Thickness	Random
500x500 mm	Matt	9 mm	1



Applications








5118


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications







5119

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5119 HL


Size	Finish	Thickness	Random
500x500 mm	Matt	9 mm	1



Applications








5120


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5121

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5122


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications








5123

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>9 mm</u>	<u>1</u>



Applications





TECHNICAL SPECIFICATION

CHARACTERISTIC		International Std. ISO13006/EN 176 Group BIa	SAKETILES Value	Method of Testing
1.	Deviation in Length	±0.6%	±0.1%	EN 98
2.	Deviation in Thickness	±5%	±4%	EN 98
3.	Straightness of Sides	±0.5%	±0.1%	EN 98
4.	Rectangularity	±0.6%	±0.2%	EN 98
5.	Surface Flatness	±0.5%	±0.3%	EN 98
6.	Water Absorption *	<0.5%	<0.3%	EN 99
7.	Mohs Hardness *	> 6	> 7	EN 101
8.	Flexural Straightness *	> 27 N/mm ²	> 47 N/mm ²	EN 100
9.	Abrasion Resistance	< 204 mm ³	< 98 mm ³	EN 102
10.	Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11.	Breaking Strength *	> 1113 N	> 2830 N	ASTM C-648
12.	Density (g/cc)	> 2	> 2.4	DIN 51082
13.	Frost Resistance	Frost proof	Frost proof	EN 202
14.	Chemical Resistance	No damage	No damage	EN 106
15.	Thermal Shock Resistance	No damage	No damage	EN 104
16.	Colour Resistance	No damage	No damage	DIN 51094
17.	Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	EN 103
18.	Stain Resistance	Resistant	Resistant	ISO 10545-14
19.	Moisture Expansion	Nil	Nil	ISO 10545-10
20.	Glossiness	—	Min. 65% - 70% reflection	Glossmeter

Sr.no.	Size	Thickness (Approx)	Tiles Per Box (Approx)	Coverage Area (sq.mtr) (Approx)	Weight (Approx)
1.	DIGITAL 500X500 MM	12 MM	3 PCS	0.76	16.5 Kgs

Thank you

