





QUALITY IS OUR COMMITMENT

Quality is our commitment. Our extensive range of ceramic tiles is crafted to perfection, ensuring unmatched durability and aesthetic appeal. Trust us to deliver excellence for your spaces.



Size
600X600MM

Size
600X1200MM



2

Sizes

9mm

Thickness

15+

Finishes

500+

Employee

2,500+

Design

**INDIVIDUAL PLANT
FOR BOTH SIZE**

1,11,000
square meter

Plant Area

32+


Country Served

44,500
square meter

Production
Capacity / Day

550+

Worldwide
Customers



Step Forward With Trust

9MM Thickness

our tiles stand out with a superior 9MM thickness compared to the standard 8.5MM offered by other brands.

This extra durability ensures our tiles are more resistant to wear and tear, providing long-lasting beauty and reliability. Choose Siscon for quality you can trust, bringing enhanced strength and peace of mind to your spaces.



**Innovative
Design** *Solutions*

BASE

MOULD CON- 01



DECOR



BASE

4 RANDOM





Random Designs



Zero Maintenance





Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

MOULD CON- 02



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

MOULD CON- 04



DECOR



BASE



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON- 05



DECOR



BASE



4 RANDOM



MOULD CON- 06



BASE


4 RANDOM



MOULD CON-07



DECOR



BASE




3 RANDOM



MOULD CON-08



DECOR



BASE



4 RANDOM



MOULD CON-09



DECOR



BASE

4 RANDOM



MOULD CON-10



BASE

4 RANDOM



MOULD CON-11



DECOR



BASE



4 RANDOM



MOULD CON-12




BASE

5 RANDOM



MOULD CON-13



DECOR



1 RANDOM



MOULD CON-14



DECOR



BASE



4 RANDOM



MOULD CON-15



LIGHT

MOULD CON- 16



DECOR



DARK

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

MOULD CON-17




BASE


4 RANDOM




MOULD CON-18



DECOR




BASE




2 RANDOM




MOULD CON-19



DECOR



4 RANDOM



MOULD CON-20



DECOR



BASE



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON-22



DECOR





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON-23



DECOR



MOULD CON-24



DECOR



MOULD CON-25



DECOR



BASE



4 RANDOM



MOULD CON-26



DECOR - 1



BASE



4 RANDOM



MOULD CON-26



DECOR - 2



BASE

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON-26



DECOR - 3





BASE



4 RANDOM




MOULD CON-27




BASE

1 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON-27



DECOR - 1



1 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

MOULD CON-27



DECOR - 2



1 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON-28



DECOR




1 RANDOM





Random Designs



Zero Maintenance




Eco-Friendly




Low Water Absorption

MOULD CON
SURFACE


MOULD CON-29



DECOR



1 RANDOM



A decorative border featuring a repeating pattern of stylized, overlapping circular and semi-circular shapes in black and white, set against a light background. The pattern consists of concentric arcs and radial lines, creating a geometric, sunburst-like effect. The shapes are arranged in a grid-like fashion, with some elements overlapping others, creating a sense of depth and movement. The overall aesthetic is modern and minimalist.



MOULD CON-31



DECOR - 1



BASE



5 RANDOM



MOULD CON-31



DECOR - 2



BASE

5 RANDOM



MOULD CON-31



DECOR - 3



BASE




5 RANDOM





Random Designs



Zero Maintenance




Eco-Friendly





Low Water Absorption

MOULD CON-32



DECOR





Random Designs



Zero Maintenance




Eco-Friendly



Low Water Absorption

DECOR-1



MOULD CON-33

DECOR-2



BASE

3 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

LIGHT ENDLESS



MOULD CON-34

DECOR



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption

BASE ENDLESS



MOULD CON-35

DECOR



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

BASE ENDLESS

MOULD CON-36



DECOR



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

DECOR - 1



MOULD CON-37

DECOR - 2



DARK ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

LIGHT ENDLESS




MOULD CON-38

DECOR



DARK ENDLESS



4 RANDOM



Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

LIGHT ENDLESS



MOULD CON- 39

DECOR



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

LIGHT ENDLESS



MOULD CON- 40

DECOR



DARK ENDLESS



4 RANDOM



Random Designs



Zero Maintenance




Eco-Friendly




Low Water Absorption

LIGHT ENDLESS

MOULD CON- 41




DECOR



DARK ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption



LIGHT ENDLESS

MOULD CON- 42



DECOR



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

LIGHT ENDLESS



MOULD CON- 43

DECOR



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

LIGHT ENDLESS



MOULD CON- 44

DECOR - 1



DARK ENDLESS



4 RANDOM



Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

LIGHT ENDLESS



MOULD CON- 44

DECOR - 2



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance




Eco-Friendly




Low Water Absorption

LIGHT ENDLESS



MOULD CON- 45

DECOR



DARK ENDLESS

3 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption

LIGHT ENDLESS



MOULD CON- 46

DECOR



DARK ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

BASE



MOULD CON- 47

DECOR



BASE



4 RANDOM



Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

BASE ENDLESS



MOULD CON- 48

DECOR



BASE ENDLESS

6 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

MOULD CON- 49



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

BASE ENDLESS




MOULD CON- 50

DECOR



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption


MOULD CON
SURFACE

DECOR - 1

MOULD CON- 51



DECOR - 2



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance




Eco-Friendly




Low Water Absorption

DECOR - 1

MOULD CON- 52



DECOR - 2



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

LIGHT ENDLESS



MOULD CON- 53

DECOR



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

LIGHT

MOULD CON- 54



DECOR



DARK

4 RANDOM





Random Designs



Zero Maintenance




Eco-Friendly



Low Water Absorption

LIGHT ENDLESS



MOULD CON- 55

DECOR



5 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON
SURFACE

LIGHT ENDLESS



MOULD CON- 56

DECOR



DARK ENDLESS



4 RANDOM



Random Designs



0% Zero Maintenance




Eco-Friendly




Low Water Absorption

DECOR - 1



MOULD CON- 57

DECOR - 2



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

BASE ENDLESS

MOULD CON- 58



DECOR



BASE ENDLESS

4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD CON
SURFACE

DECOR

MOULD CON- 59



BASE ENDLESS

1 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption


DECOR

MOULD CON- 60



BASE ENDLESS

1 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

LIGHT ENDLESS



MOULD CON- 61

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

BASE ENDLESS



MOULD CON- 62

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption


MOULD CON
SURFACE

LIGHT ENDLESS



MOULD CON- 63

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

BASE ENDLESS



MOULD CON- 64

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

BASE ENDLESS



MOULD CON- 65

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

MOULD
CON SURFACE

BASE ENDLESS



MOULD CON- 66

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly




Low Water Absorption

BASE ENDLESS



MOULD CON- 67

DECOR



4 RANDOM





Random Designs



Zero Maintenance



Eco-Friendly



Low Water Absorption

LIGHT ENDLESS



MOULD CON- 68

DECOR



DARK ENDLESS

4 RANDOM





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption

BASE



MOULD CON-69

DECOR



3 RANDOM



SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	VALUE
-------	-----------------	------------------	--	-------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI IV

CHEMICAL PROPERTIES

1	Chemicals Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	29 KG.	9MM
600X600MM	4	1.44	27.5 KG.	8.5MM