




QUALITY IS OUR COMMITMENT

Quality is our commitment. Our extensive range of ceramic tiles is crafted to perfection, ensuring unmatched durability and aesthetic appeal. Trust us to deliver excellence for your spaces.



Size
600X600MM

Size
600X1200MM



2

Sizes

9mm

Thickness

15+

Finishes

500+

Employee

2,500+

Design

**INDIVIDUAL PLANT
FOR BOTH SIZE**

1,11,000
square meter

Plant Area

32+

Country Served

44,500
square meter

Production
Capacity / Day

550+

Worldwide
Customers




Step Forward With Trust


9MM Thickness

our tiles stand out with a superior 9MM thickness compared to the standard 8.5MM offered by other brands.

This extra durability ensures our tiles are more resistant to wear and tear, providing long-lasting beauty and reliability. Choose Siscon for quality you can trust, bringing enhanced strength and peace of mind to your spaces.



**Innovative
Design** *Solutions*



PORC 01 BROWN END

FINISH | PORCECON

RANDOM - 04






PORC 01 CREMA END

FINISH | PORCECON

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 01 LIGHT END

FINISH | PORCECON

RANDOM - 04






PORC 01 NATURAL END

FINISH | PORCECON

RANDOM - 04





PORC 02 ASH END

FINISH | PORCECON

RANDOM - 05






PORC 02 BROWN END

FINISH | PORCECON

RANDOM - 05





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 02 CREMA END

FINISH | PORCECON

RANDOM - 05





PORC 02 WHITE END

FINISH | PORCECON

RANDOM - 05





PORC 03 BEIGE END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 03 CAMEL END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 03 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 04







PORC 03 NERO END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 03 TAN END

FINISH | PORCECON + CARVING

RANDOM - 04







PORC 03 WHITE END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 04 BROWN

FINISH | PORCECON

RANDOM - 05





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 04 GREY

FINISH | PORCECON

RANDOM - 05





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 05 ASH

FINISH | PORCECON

RANDOM - 06






PORC 05 ROSATA

FINISH | PORCECON

RANDOM - 06






PORC 06 GREEN END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 06 GRIS END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 06 LIGHT END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 06 NATURAL END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 06 NT LIGHT END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 06 TAN END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 06 WHITE END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 07 BROWN

FINISH | PORCECON

RANDOM - 04







PORC 07 GREY

FINISH | PORCECON

RANDOM - 04






PORC 08 CREMA

FINISH | PORCECON

RANDOM - 04





PORC 08 NATURAL

FINISH | PORCECON

RANDOM - 04





PORC 09 RIVER GREEN

FINISH | PORCECON

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 10 ASH END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 10 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 10 GRIS END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 10 LIGHT END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 11 BROWN END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly





Low Water Absorption



PORC 11 COFFEE END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 11 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 11 GREY END

FINISH | PORCECON + CARVING

RANDOM - 04







PORC 11 LIGHT END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 12 NATURAL

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 13 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 13 GRIS END

FINISH | PORCECON + CARVING

RANDOM - 04







PORC 13 LIGHT END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 13 ROSATA END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 14 BLUE END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs




0% Zero Maintenance



Eco-Friendly




Low Water Absorption




PORC 14 BROWN END

FINISH | PORCECON + CARVING

RANDOM - 04







PORC 14 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 04







PORC 14 GRIS END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 14 WHITE END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 15 BROWN

FINISH | PORCECON

RANDOM - 04





Random Designs




0% Zero Maintenance



Eco-Friendly



Low Water Absorption




PORC 15 GREY

FINISH | PORCECON

RANDOM - 04





PORC 16 BROWN END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs




0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 16 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 04





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 16 GREEN END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 16 LIGHT END

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 16 NATURAL END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 17 GRIS END

FINISH | PORCECON + CARVING

RANDOM - 03





PORC 17 NATURAL END

FINISH | PORCECON + CARVING

RANDOM - 04





PORC 17 ROSE END

FINISH | PORCECON + CARVING

RANDOM - 03





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 17 SAND END

FINISH | PORCECON + CARVING

RANDOM - 03





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 18 BROWN

FINISH | PORCECON + CARVING

RANDOM - 05





Random Designs



0% Zero Maintenance



Eco-Friendly



Low Water Absorption



PORC 18 GREY

FINISH | PORCECON + CARVING

RANDOM - 05





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 19 CREMA END

FINISH | PORCECON + CARVING

RANDOM - 02






PORC 19 GREEN END

FINISH | PORCECON + CARVING

RANDOM - 02





Random Designs



0% Zero Maintenance



Eco-Friendly




Low Water Absorption



PORC 19 NATURAL END

FINISH | PORCECON + CARVING

RANDOM - 02







PORC 20 BIANCO

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 20 NERO

FINISH | PORCECON + CARVING

RANDOM - 04






PORC 21 CREMA

FINISH | PORCECON + CARVING

RANDOM - 03





SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	VALUE
-------	-----------------	------------------	--	-------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI IV

CHEMICAL PROPERTIES

1	Chemicals Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	29 KG.	9MM
600X600MM	4	1.44	27.5 KG.	8.5MM

export@pooraboverseas.com
www.pooraboverseas.com